

SPRS Evaluation Criteria Manual

SPRS EVALUATION CRITERIA MANUAL SPRS 4.0



NSLC PORTSMOUTH BLDG. 153-2 PORTSMOUTH NAVAL SHIPYARD, PORTSMOUTH, NH 03804-5000

This page intentionally left blank.

SPRS 4.0

SPRS Document Acceptance

The undersigned agree this Supplier Performance Risk System (SPRS) Evaluation Criteria Manual Version 4 accurately describes the SPRS and the activities surrounding its development.

Program Manager

ble (Shen

Record of Versions and Changes

Document Version # Version Date		Detailed Description of Change
1	JUL 2019	Baseline document
2	MAR 2023	Enhanced baseline document. Included calculation examples. Updates for SPRS V3.3
3	AUG 2023	FAPIIS renamed to Integrity Records. Added Normalized Quality Performance Score description and calculation.
4	APR 2024	Combined Color Legends into one SPRS Color Legend. Added information on Preview Period. Updates for SPRS V4.0

TABLE OF CONTENTS

1.	Introduction	1
1.1	Evaluation Criteria Overview	1
1.2	Supplier Performance Risk System (SPRS)	1
1.3	Areas of Risk Analysis	1
2.	Document-Wide Formulas	3
2.1	Age-Weight Multiplier (AWM) Calculation	3
2.2	Classification Date	3
2.3	Scaling Factor	3
3.	Quality and Delivery Performance	4
3.1	Weighted Quality Performance	4
3.2	Weighted Delivery Score	8
4.	Supplier Risk Score	11
4.1	Supplier Risk Score Overview	11
4.2	Supplier Risk Engine	12
5.	Supplier Risk Factors	14
5.1	Suspected Counterfeit Factor	14
5.2	Overall Quality Factor	15
5.3	Overall Delivery Factor	16
5.4	Contractor Performance Assessment Reporting System (CPARS) Factor	17
5.5	Corrective Action Request (CAR) Factor	19
5.6	Corrective Action Plan (CAP) Factor	21
5.7	Survey Factor	19
5.8	Program Assessment Report (PAR) Factor	20
5.9	Government-Industry Data Exchange Program (GIDEP) (Non-Counterfeit) Factor	21
5.10	Integrity Records (formerly FAPIIS)	22
6.	Price Risk and Confidence Scoring	23
6.1	Price Risk	23
6.2	Price Confidence Score	27
7.	Item Risk	28
7.1	Item/Price Risk Report	28

Appendix A – Glossary of Terms	29
Appendix B – Glossary of Symbols	31

TABLE OF FIGURES, TABLES, AND EQUATIONS

Figure 1: SPRS Color Legend	7
Figure 2: Supplier Engine Factors	12
Figure 3: SPRS Color Legend	13
Figure 4: Price Risk Graph	26
Table 4. Casling Factor Calculation France	2
Table 1: Scaling Factor Calculation Example	
Table 2: Quality Performance Records and Weight Factors	
Table 3: Material Inspection Record Tiers	
Table 4: Quality Performance Score within Supply Code Example	
Table 5: Normalized Quality Performance Score Example	
Table 6: Weighted Delivery Score Example	
Table 7: Supplier Risk Factors	
Table 8: Suspected Counterfeit Factor Example	
Table 9: Overall Quality Factor Score Example	
Table 10: CPARS Record Example	
Table 11: CPARS Factor Score Example	
Table 12: CAR Factor Score Example	
Table 13: CAR Factor Score Example Continued	
Table 14: CAP Factor Score Example	
Table 15: Survey Factor Score Example	
Table 16: PAR Factor Score Example	
Table 17: GIDEP Factor Score Example	
Table 18: Integrity Records Factor Score Example	
Table 19: Price Risk Pass 2 Exclusion Limits	
Table 20: Average Price Confidence	27
Equation 1: Age-Weight Multiplier (AWM)	2
Equation 2: Quality Performance Score	
Equation 3: Normalized Quality Performance Score	
Equation 4: Weighted Delivery Score	
Equation 5: Supplier Risk Score	
Equation 6: Overall Quality Factor Score	
Equation 7: Escalation Factor	
Equation 8: Adjusted Price	
Equation 9: Population Mean (µ)	
Equation 10: Population Standard Deviation (σ)	
Equation 11: Coefficient of Variation (CV)	
=quation in occinion of fundation (of)	

1. INTRODUCTION

1.1 EVALUATION CRITERIA OVERVIEW

This document is designed to explain the algorithms, data sources, and statistical methods used for risk analysis and vendor performance calculations. SPRS presents this information in a number of reports available to authorized users.

For an overview of these reports refer to the <u>SPRS Overview Tutorial</u> or the user guides available on the SPRS Reference Material webpage for more information.

1.2 SUPPLIER PERFORMANCE RISK SYSTEM (SPRS)

The Supplier Performance Risk System (SPRS) is a web-enabled enterprise application that gathers, processes, and displays data about the performance of suppliers. SPRS utilizes performance information (PI) related to on-time delivery and product quality to rate performance. DoDI 5000.79 identifies SPRS as "...the authoritative source to retrieve supplier and product PI assessments for the DoD [Department of Defense] acquisition community to use in identifying, assessing, and monitoring unclassified performance." DFARS Section 204.7603 states that "The contracting officer shall consider price risk and supplier risk, if available in SPRS, as a part of the award decision. For procurement of an end product identified by a material identifier that is available . . . the contracting officer shall also consider assessments of item risk, if available, as a part of the award decision."

1.3 AREAS OF RISK ANALYSIS

1.3.1 Supplier: SPRS provides the acquisition community a score for the overall assessment of supplier performance and supplier risk. The Supplier Risk Score can be used to identify "high risk" suppliers and assess the likelihood of the nonfulfillment of terms of contract, unsuccessful performance, or supplier risk.

A computer algorithm called the SPRS Supplier Engine uses 10 factors of vendor performance information to calculate Supplier Risk Scores. These factors are individually weighted (based on age and relative importance) and summed to produce a numerical and color score for every company which has either a DoD contract or factor data within the last three years.

The Supplier Risk Score is an overall assessment of supplier performance, regardless of Supply Code or business sector. Suppliers' scores are stored and retrieved according to Commercial and Government Entity (CAGE) code; vendor performance information is also gathered by CAGE.

SPRS receives contract award and delivery data from various sources to include but not limited to, the Electronic Data Access (EDA), Federal Procurement Data System

(FPDS), Defense Logistics Agency (DLA), Wide Area Workflow (WAWF) and the Mechanization of Contract Administration Services (MOCAS) systems, and other sources through the Department of the Navy's Product Data Reporting and Evaluation Program (PDREP) system.

Program performance data is also received from various sources to include but not limited to the Defense Contract Management Agency (DCMA), Government-Industry Data Exchange Program (GIDEP) Alerts, the Contractor Performance Assessment Reporting System (CPARS), View Performance (formerly Past Performance Information Retrieval System Report Cards (PPIRS-RC)) systems, System for Award Management (SAM), and the Joint Deficiency Reporting System (JDRS).

The Supplier Risk Score described herein is the score reported to supplier and government users through the standalone Supplier Risk Report.

- 1.3.2 Price: Price Risk determines whether a proposed price is consistent with historical prices paid for that item. SPRS calculates an "Expected Range" based on the population of historical prices for a particular item. Bids may be entered by the user and SPRS will report if the bid falls in or out of the Expected Range ("within range", "high" or "low"). The SPRS Price Engine uses item pricing history data from 01 January 2010 to present.
- 1.3.3 Item: Item Risk is based on additional risks associated with employing an item or the increased risks associated with procuring an item which may result in safety issues, mission degradation, or monetary loss. The SPRS Item Risk Report can be used to review the warnings provided and risk mitigation strategies identified in the SPRS application.

2. DOCUMENT-WIDE FORMULAS

2.1 AGE-WEIGHT MULTIPLIER (AWM) CALCULATION

The SPRS Age-Weight Multiplier (AWM) reduces the scoring impact of supplier performance information gradually over the three (3) year scoring period. Delivery records are weighted based on the number of calendar days since shipping/receiving or contract termination. Quality records and factor records are weighted based on the number of calendar days since the record became effective. As a record ages, its contribution to the delivery score, quality classification or supplier risk score diminishes, vanishing at three years.

$$AWM = \frac{1,095 - Record Age(Days)}{1,095}$$

Equation 1: Age-Weight Multiplier (AWM)

NOTE: 3 years = 1,095 days
 = 1,096 days for leap years

2.2 CLASSIFICATION DATE

The Classification Date is the date the scores were last updated. SPRS runs all quality, delivery, and risk calculations on a daily basis.

2.3 SCALING FACTOR

All scored factors are normalized, divided by, the SPRS Scaling Factor, to allow comparisons of large and small businesses. The Scaling Factor is calculated by summing the unique count of Supply Codes within the vendor's base contracts, during the three year reporting timeframe from the contract signed date. Base contract and Supply Code data is received from the Federal Procurement Data System (FPDS).

Example:

13-Digit Base Contract	Supply Code
Contract1224A	3020
Contract1234A	4730
Contract1234B	F103
Contract1234C	3020
Scaling Factor =	4

Table 1: Scaling Factor Calculation Example

 NOTE: If there is no contract data available, a value of one (1) is used for the denominator.

3. QUALITY AND DELIVERY PERFORMANCE

3.1 WEIGHTED QUALITY PERFORMANCE

3.1.1 Quality Performance Records: A Supplier's Quality Performance is organized by Supply Code: Federal Supply Classification (FSC) / Product Service Code (PSC) and associated North American Industry Classification System (NAICS) code. SPRS scores Quality Performance Records dated within the last three (3) years. Negative records observe an initial 14-day preview period where they are held out of scoring. This allows vendors to review and challenge records they believe to be inaccurate before there is a scoring impact. The following are the Quality Performance Records to be used and the associated weights for each:

Record	Service	Positive Weight	Negative Weight
Product Quality Deficiency Reports (PQDRs) – Category 1 or 2	All	N/A	- 2.0 (Cat 1) - 1.5 (Cat 2)
Supply Discrepancy Reports (SDRs)	All	N/A	- 1.0
GIDEP Alerts	All	N/A	- 0.7
Bulletins	Navy	N/A	- 1.0
Surveys (Excluding Pre-Award Surveys)	DCMA and Navy	+ 0.7	- 0.7
Test Reports (1st Article, Production, etc.)	Navy	+ 0.5	- 0.5
Material Inspection Records (MIRs)*	Navy	+ 1.0	- 1.0 (Critical) - 0.7 (Major) - 0.2 (Minor)
Received Delivery w/No Associated Quality Record**	All	+ 0.1	N/A

Table 2: Quality Performance Records and Weight Factors

*Material Inspection Records (MIRs) Inspection Attribute(s)	Risk Tier	Risk Tier Weights
Visual/Package/Preservation	1	+/- 0.1
Technical/Documentation/Labeling	2	+/- 0.2
Quality/Manufacturing/Design	3	+/- 0.3
Non-functional/Damage/Chemical	4	+/- 0.4

Table 3: Material Inspection Record Tiers

Example 1: Negative MIR, Critical + Tier 4 = - 1.4

Example 2: Positive MIR + Tier 2 = 1.2

^{*}MIR weighting is determined by adding the Positive or Negative Weight to the associated risk tier. If an MIR has multiple inspection attributes, the one with the highest risk tier value is used.

**Received Delivery w/No Associated Quality Records will receive a + 0.1 positive credit that will apply starting 90 days after the delivery has been received. This credit will age weight starting on the day it was applied. If at a future date, a quality record is assigned to that delivery, the age-weighted positive credit will be removed and replaced by that other Quality Record. The positive credit will last as long as the delivery remains in SPRS. To determine if a delivery has an associated quality record, the first 13 digits of the contract or delivery order must match a quality record within the same Supply Code in SPRS.

3.1.2 Quality Performance Score Calculation:

Quality Performance Score = $\frac{\sum Positive weighted data + \sum Negative weighted data}{Delivery Line Item Total by Supply Code}$

Equation 2: Quality Performance Score

 <u>NOTE</u>: If there is no delivery data available, a value of one (1) is used for the denominator.

Example: Assume all the below quality records are within the same Supply Code and the delivery count within that same Supply Code is two (2).

Record	Days since Report	Weight	Age-Weighted Score
Bulletin	800	- 1.0	- 0.270
GIDEP Alert	25	- 0.7	- 0.684
Material Inspection Records (MIRs) (Major + Tier 3)	42	- 1.0 [- 0.7 + (- 0.3)]	- 0.962
Material Inspection Records (MIRs) (Positive + Tier 2)	1,000	+1.2 (1.0 + 0.2)	+ 0.105
PQDR (Category 1)	125	- 2.0	- 1.772
Surveys (Excluding Pre-Award Surveys)	300	+ 0.7	+ 0.508
Test Reports (1st Article, Production, etc.)	270	+ 0.5	+ 0.377
Supply Discrepancy Reports (SDRs)	950	- 1.0	- 0.133
Received Delivery w/No Associated Quality Record	1	+ 0.1	+ 0.1
Sum of Negative Quality Data:			- 3.821
Sum of Positive Quality Data:			1.090

Table 4: Quality Performance Score within Supply Code Example

Quality Performance Score
$$=\frac{1.090 + (-3.821)}{2} = \frac{-2.731}{2} = \boxed{-1.366}$$

3.1.3 Normalized Quality Performance Score: SPRS normalizes the Quality Performance Score for display purposes in some modules, to include but not limited to, Procurement Risk Analysis, Market Research, and Solicitation. The Normalized Quality Performance Score is calculated by identifying the range of Quality Percent Scores within a particular Supply Code. The minimum and maximum scores are then identified and used to set the high score of 100, and the low score of 0. The remaining scores are distributed appropriately within a Supply Code between the minimum score of zero, and maximum score of 100.

Normalized Quality Performance Score =
$$\left(\frac{(0-\text{Min}) + \text{Quality Percent Score}}{(\text{Max}-\text{Min})}\right) \times 100$$

Equation 3: Normalized Quality Performance Score

Example:

CAGE	Quality Performance Score within Supply Code	Normalized Quality Percent Score
CAGE1	5.543	100
CAGE2	5.234	97.419
CAGE3	4.933	94.905
CAGE4	1.021	62.229
CAGE5	0.995	62.011
CAGE6	- 0.918	46.032
CAGE7	- 0.945	45.807
CAGE8	- 6.429	0

Table 5: Normalized Quality Performance Score Example

Minimum: 5.543 Maximum: - 6.429

Example Calculation =
$$\left(\frac{(0 - (-6.429)) + 5.234}{(5.543 - (-6.429))}\right) \times 100$$

3.1.4 Quality Performance Color Score: Quality Performance Color is displayed in the SPRS Summary Report. Each Supply Code, for which there is quality performance data, will be ranked by magnitude and assigned a color. Color is assigned by top five percent (Blue), next 10 percent (Purple), next 70 percent (Green), next 10 percent (Yellow), and last five percent (Red). In this calculation, the companies are classified based on quality performance comparisons for all competitors within a Supply Code.




Figure 1: SPRS Color Legend

Additional logic and definitions for the SPRS Color Legend:

- If the Quality Performance Score is equal for all suppliers in a Supply Code, the entire group will be classified as Green.
- If a supplier has only positive Quality Records in a Supply Code, the lowest possible Quality Color band they will receive is Green.
- If there are multiple suppliers with the same Quality Performance Score within the Supply Code, they will all be classified in the same Quality Color band.
- No Scorable Data: If a supplier has only unreceived or terminated delivery data and no Quality Performance Score for a given Supply Code, that contractor will be classified within the white color band and display an asterisk (*).
- Scorable Data Pending: If a supplier has received delivery data but no Quality Performance Score for a given Supply Code, that contractor will be classified as Green(*).
- Vendor Excluded: A vendor excluded from selling to the government, as listed in SAM.gov, will be assigned a Grey color score.
- No Score: Only applicable to the Supplier Risk Score. Suppliers that have no scored Supplier Risk factor data and no contracts reported to FPDS will be assigned a Black color score.

3.2 WEIGHTED DELIVERY SCORE

- 3.2.1 Weighted Delivery Score Records: A supplier's Weighted Delivery Score is organized by Supply Code. Delivery records are identified by Contract Procurement Instrument Identifier (PIID), Contract Line Item Number (CLIN) or Subcontract Line Item Number (SLIN), and Supply Code. Delivery Record information is transmitted into SPRS once the Due Date has passed, unless receiving information is included for a delivery with a future Due Date. No duplicate deliveries are allowed.
- 3.2.2 Weighted Delivery Score Calculation: Suppliers receive a Weighted Delivery Score for every Supply Code with Delivery Records. The Weighted Delivery Score is calculated based on a weighted combination of the percentage of contract line items (CLINs/SLINs) with on-time deliveries and the average days late for all deliveries within a specific Supply Code. The number of days late is the delta between the contracted Due Date and the Delivery Date. On-time deliveries are given additional weight (60%) and late deliveries are given less weight (40%).

Records are sorted as positive or negative. Early and on-time deliveries are positive. Late, terminated, and open (expected but not yet received), deliveries are negative.

Contract Termination:

Termination for Convenience (T4C): Contracts terminated at the convenience of the Government (T4C) will not be considered in the delivery score calculations.

Termination for Default (T4D): Contracts terminated for default will be assessed Days Late as follows:

- Code K (180 days late)
- Code D (360 days late)

Delivery AWM:

Weighted Delivery Age-Weight Multiplier (AWM) is based on a records Due Date and does not begin until the Due Date has passed the Classification Date. Age weighting for the Weighted Delivery Score has various rules to account for the following scenarios:

- a. Early deliveries and deliveries made on the Due Date: the supplier receives full credit by assigning an age weight of one (1) until the Due Date has passed the Classification Date.
- b. Late Deliveries: Deliveries received after the Due Date, age weighting begins on the record's Due Date.
- c. Early Terminated: Cancelled before or on the Due Date, age weighting begins on the Cancellation Date.
- d. Late Terminated: Cancelled after the Due Date, age weighting begins on the Due Date.

e. Unreceived deliveries that were not cancelled, where the Due Date is in the past, are assigned an age weight of one (1).

Calculation Elements:

- On-time Delivery Value = 1 × Age-Weight Multiplier (AWM)
- Average Days Late Delivery Value = (# Days Late) × AWM
- AWM for All Deliveries = Σ AWMs
- On-time Weight = 0.6
- On-time Score = $100 \times \frac{\Sigma \text{ On-Time Delivery Value}}{\text{AWM for All Deliveries}}$
- Average Days Late Weight = 0.4
- Average Days Late Score = $100 \frac{\Sigma \text{ Average Days Late Delivery Values}}{\text{AWM for All Deliveries}}$ or 0, whichever is greater.

Weighted Delivery Score = (On-time Weight × On-time Score) + (Average Days Late Weight × Average Days Late Score)

Equation 4: Weighted Delivery Score

Example: Within a 3-year period Company X has made the following deliveries:

Classification Date: 1-Jun-2020

Due Date	Termination Code	Receipt Date / Termination Date	Days Early / Days Late	Days Since Due Date / Termination Date	Age- Weight Multiplier (AWM)	On-Time Delivery Value	Days Late Delivery Value
10-Jun-20		1-Jun-20	+ 9	- 9	+ 1	+ 1	
1-Jun-20		1-May-20	+ 31	0	+ 1	+ 1	
1-Apr-20		1-May-20	- 30	+ 61	+ 0.944		+ 28.330
1-May-20	K	1-Apr-20	- 180	+ 61	+ 0.944		+169.982
1-May-20	D	1-Jun-20	- 360	+ 31	+ 0.972		+ 349.818
1-May-20				+ 31	+ 1		+ 31
		_	Su	ım of Values =	+ 5.860	+ 2	+ 579.130

Table 6: Weighted Delivery Score Example

Example Continued: Using the information from Equation 3 and Table 5 above:

$$\left(0.6 \times \left(100 \times \left(\frac{2}{5.860}\right)\right)\right) + \left(0.4 \times \left(100 - \left(\frac{579.130}{5.860}\right)\right)\right) = 20.950$$

4. SUPPLIER RISK SCORE

4.1 SUPPLIER RISK SCORE OVERVIEW:

4.1.1 Supplier Risk Score: The Supplier Score is equal to the summation of 10 Supplier Risk Factors.

Supplier Risk Score = \sum Risk Factors Equation 5: Supplier Risk Score

Supplier Risk Factor	Source	Baseline Points	Category
Suspected Counterfeit	GIDEP	100	Always Negative
Quality Score Rankings	SPRS	0	Always Positive
Overall Delivery Score	SPRS	0	Always Positive
Contractor Performance Assessment Reporting System (CPARS)	CPARS	0	Positive/Negative
Corrective Action Requests (CAR)	DCMA, PDREP	60	Always Negative
Corrective Action Plans (CAP)	DCMA, PDREP	0	Positive/Negative
Surveys	DCMA, PDREP	0	Positive/Negative
Program Assessment Reports (PAR)	DCMA,PDREP	0	Positive/Negative
Government-Industry Data Exchange Program (GIDEP) (non-counterfeit)	GIDEP	10	Always Negative
Integrity Records	SAM	50	Always Negative

Table 7: Supplier Risk Factors

- **4.1.2 Supplier Risk Factor Categories:** Factor data is divided into three categories: "Always Negative," "Always Positive", and "Positive/Negative."
 - Always Negative: These data factors will always lower the resulting score.
 Each Always Negative factor is given a starting score; any additional data lowers that score for that factor. The lowest possible score for each Always Negative factor is zero. If a vendor has no Always Negative data, it receives the highest possible score.
 - Always Positive: These data factors always increase the resulting score. If a vendor has no Always Positive data, the resulting score is not affected.
 - Positive/Negative: These data factors can increase or decrease the resulting score based on the nature of the factor. If a vendor has no Positive/Negative data, the resulting score is not affected.

4.2 SUPPLIER RISK ENGINE:

4.2.1 Supplier Engine: The Supplier Risk Engine calculates the score for each factor based on the age of the data, the Scaling Factor and the assigned weight of each factor's contribution to the Supplier Risk Score.

Always Negative and Positive/Negative data utilize the Scaling Factor. This tends to normalize, but not equalize, supplier scores based on magnitude of business with the government. The underlying algorithms for Always Positive data already take this into account, so this scaling is not applied.

Always Negative and Positive/Negative data are age-weighted on a daily basis. As a result, each newer (i.e., more recent and relevant) data point contributes more to the Supplier Risk Score than older data. The underlying algorithms for Always Positive data already take this into account, so this age-weighting is not applied.

A graphic depicting each factor's calculation and relative weight of importance is shown below:



Figure 2: Supplier Engine Factors

The Supplier Engine ranks the supplier risk scores by magnitude and assigns a color score to each supplier according to the SPRS Color Legend. The color score is a percentile ranking.




Figure 3: SPRS Color Legend

Suppliers with higher Supplier Risk Color Scores are considered to have a lower risk of poor contract performance.

The threshold values between colors can change each time the Supplier Engine is run. As a result, suppliers with numerical scores near the threshold values may have a change in color score without a corresponding change in numerical score. Suppliers with the same numerical score will always have the same color score.

Suppliers that have no scored factor data but have at least one contract reported in FPDS (Scaling Factor) do not receive a numerical score but are assigned a Green color score. The system will display an asterisk (*) in place of a numerical score. This is a neutral rating, similar to how SPRS displays quality classifications for companies with no quality records but some delivery records.

A vendor excluded from selling to the government, as listed in SAM.gov, will be assigned a Grey color score.

Suppliers that have no scored factor data and have no contracts reported to FPDS receive no numerical score and assigned a Black color score.

5. SUPPLIER RISK FACTORS

5.1 SUSPECTED COUNTERFEIT FACTOR

5.1.1 Suspected Counterfeit Factor: This factor is Always Negative and the information is pulled from Government-Industry Data Exchange Program (GIDEP) Agency Action Notices. GIDEP contains information on equipment, parts, and assemblies including those suspected to be counterfeit. After visual inspections and, in many cases, extensive testing and analysis, GIDEP members provide fact-based reports on items received that are suspected to be counterfeit.

5.1.2 Suspected Counterfeit Values:

- a. Starting Score is always 100 points
- b. First Incident (- 25 points)
- c. Each Subsequent Incident (- 50 points)
- **5.1.3** Suspected Counterfeit Factor Score: The Suspected Counterfeit Factor Score is calculated by first identifying all Suspected Counterfeit reports dated within the last three (3) years. Each record is assigned the appropriate value listed above and ageweighted. The age-weighted point deductions are then summed and normalized by the Scaling Factor. That sum is then subtracted from the starting score.

Example: Scaling Factor is 10 for the example below

Days Since Report	Age-Weighted Multiplier (AWM)	Suspected Counterfeit Point Deduction	Age-Weighted Points
850	0.224	- 25	- 5.61
800	0.270	- 50	- 13.50
360	0.672	- 50	- 33.58
200	0.818	- 50	- 40.88
		Point Total =	- 93.57

Table 8: Suspected Counterfeit Factor Example

Apply Scaling Factor =
$$\frac{(-93.57)}{10}$$
 = -9.36

Subtract from Starting Score = 100 + (-9.36)

5.2 OVERALL QUALITY FACTOR

- **5.2.1 Overall Quality Factor**: The Quality Factor calculates the Supplier's overall quality performance for the Supply Codes with quality records. This factor is an Always Positive score.
- **5.2.2 Overall Quality Factor Ranking**: As described in the Quality Performance section; once the Quality Performance Score within each Supply Code is calculated, it is compared against other suppliers within that Supply Code and assigned a point total based on their ranking against the other suppliers as follows:
 - a. Top Third (100 points)
 - b. Middle Third (50 points)
 - c. Bottom Third (0 points)

Each Supply Code ranking is then weighted based on the total number of Quality records within that Supply Code and summed to determine the Overall Quality Factor Score.

The Ranking Weight is determined by the number of records within the Supply Code compared to the total records within all Supply Codes for that same supplier.

5.2.3 Overall Quality Factor Score =
$$\frac{\sum (Quality Record Count \times Ranking Points)}{Total Quality Record Count}$$

Equation 6: Overall Quality Factor Score

Supply Code	Quality Record Count	Ranking Points	Ranking Weight	Weighted Ranking Points
1450	200	Top (100)	76.3%	+ 20,000
1910	50	Middle (50)	19.1%	+ 2,500
5335	10	Top (100)	3.8%	+ 1,000
5910	1	Bottom (0)	0.4%	0.0
6820	1	Middle (50)	0.4%	0.0
Total:	261	$\frac{\Sigma \left(\text{Quality Record Count} \times \text{Ranking Points} \right)}{\text{Total Quality Record Count}} =$		$\frac{23,500}{261}$
		Overall Quality Factor Score =		90.04

Table 9: Overall Quality Factor Score Example

5.3 OVERALL DELIVERY FACTOR

- 5.3.1 Overall Delivery Factor: The Overall Delivery Factor calculates the supplier's Weighted Delivery Score regardless of Supply Code. This factor is an Always Positive score. The contractor's Overall Delivery Score is calculated using a weighted combination of the percentage of Contract Line Items (CLINs) with on-time deliveries and the average days late for all deliveries.
- **5.3.2** Overall Delivery Factor Score: As described in the Weighted Delivery Factor Score section, the Overall Delivery Factor Score is calculated using all deliveries made by the Supplier regardless of Supply Code.

5.4 CONTRACTOR PERFORMANCE ASSESSMENT REPORTING SYSTEM (CPARS) FACTOR

- 5.4.1 Contractor Performance Assessment Reporting System (CPARS) Factor: A CPARS is an evaluation of a contractor's performance and provides a record on a given contract during a specific period of performance. This factor is a Positive/Negative score.
- **5.4.2 CPARS Record**: A CPARS record evaluates contractors in up to six areas: Quality, Schedule, Cost Control, Management, Utilization of Small Business, and Regulatory Compliance. The ratings are converted to numerical values as follows:
 - a. Exceptional (+ 10 points)
 - b. Very Good (+ 5 points)
 - c. Satisfactory (+ 1 point)
 - d. Marginal (- 5 points)
 - e. Unsatisfactory (- 10 points)

The CPARS record score is calculated by summing the rating values and dividing the result by the number of ratings received.

Example: Individual CPARS Scoring Report




Table 10: CPARS Record Example

5.4.3 CPARS Factor Score: The CPARS Factor Score is calculated by age-weighting each CPARS report a supplier has dated within the last three (3) years. Those ageweighted scores are then added together and normalized by the Scaling Factor.

Example: Scaling Factor is 10 for the example below

Days Since Report	Age-Weighted Multiplier (AWM)	CPARS Report Score	Age-Weighted Points
850	0.224	- 2.9	- 0.65
500	0.544	+ 3.2	+ 1.74
360	0.672	+ 8.75	+ 5.88
200	0.818	+ 5.4	+ 4.41
		Point Total =	+ 11.38

Table 11: CPARS Factor Score Example

Apply Scaling Factor =
$$\frac{11.38}{10}$$

5.5 CORRECTIVE ACTION REQUEST (CAR) FACTOR

5.5.1 Corrective Action Requests (CARs) Factor: CARs are issued to the supplier to identify and correct instances of noncompliance with established methods for processing product, controlling quality systems or violation of contract/purchase order requirements. This is an Always Negative factor. CARs are reported in PDREP.

5.5.2 CAR Values:

- a. Starting Score is always 60
- b. Level 1 CAR (- 1 point)
- c. Level 2 CAR (- 10 points)
- d. Level 3 CAR: (always calculated last)
 - First Occurrence (- 30% of current CAR Score)
 - Second Occurrence (- 65% of current CAR Score)
 - Third Occurrence (- 100% of current CAR Score)
- e. Level 4 CAR (- 50 points)
- 5.5.3 CAR Factor Score: The CAR Factor Score is calculated by first identifying all CARs dated within the last three (3) years. Each Level 1, 2, and 4 CAR is assigned the appropriate value listed above and age-weighted. Those age-weighted scores are summed and normalized by the Scaling Factor. That scaled score is then subtracted from the starting score. The last step is to apply the Level 3 CARs by reducing the score by the age-weighted percentage defined above based on number of occurrences.

If the calculation yields a negative number, then 0 is assigned as the score.

Example: Scaling Factor is 10 for the example below

Days Since Report	Age-Weighted Multiplier (AWM)	CAR Level	Point Deduction	Age-Weighted Points
1,000	0.088	Level 1	- 1	- 0.09
720	0.343	Level 2	- 10	- 3.43
200	0.818	Level 4	- 50	- 40.88
5	0.995	Level 2	- 10	- 9.95
		F	Point Total =	- 54.35

Table 12: CAR Factor Score Example

Apply Scaling Factor =
$$\frac{(-54.35)}{10}$$
 = -5.43

Subtract from Starting Score = 60 + (-5.43) = 54.57

Apply Level 3 CAR(s):

Days Since Report	Age-Weighted Multiplier (AWM)	CAR Level	Point Deduction	Age-Weighted Points
300	0.726	Level 3 (- 30%)	- 16.35	- 11.87

Table 13: CAR Factor Score Example Continued

5.6 CORRECTIVE ACTION PLAN (CAP) FACTOR

5.6.1 Corrective Action Plan (CAP) Factor: A planned response provided by the supplier in response to a CAR. If such a plan is required, it will be scored. This is a Positive/Negative factor. CAPs are reported in the DCMA's SRS in PDREP.

5.6.2 CAP Values:

- a. Record Accepted and on time (+1 point)
- b. Record Rejected or late (- 1 point)
- **5.6.3 CAP Factor Score:** The CAP Factor Score is calculated by first identifying all CAPs dated within the last three (3) years. Each CAP is assigned the appropriate value listed above, and age-weighted. Those age-weighted scores are summed and normalized by the Scaling Factor.

Example: Scaling Factor is 10 for the example below

Days Since Report	Age-Weighted Multiplier (AWM)	Point Change	Age-Weighted Points
850	0.224	+ 1 pt.	+ 0.22
500	0.544	+ 1 pt.	+ 0.54
360	0.672	+ 1 pt.	+ 0.67
200	0.818	- 1 pt.	- 0.82
		Point Total =	+ 0.62

Table 14: CAP Factor Score Example

Apply Scaling Factor =
$$\frac{0.62}{10}$$

5.7 SURVEY FACTOR

5.7.1 Pre/Post-Award Survey Factor: An evaluation by a surveying activity of a prospective or selected contractor's capability to perform under the terms of a proposed or awarded contract. This is a Positive/Negative factor. Surveys are reported in PDREP.

5.7.2 Survey Values:

- a. + 1 point per record for:
 - Award
 - Acceptable
 - Partial Award
- b. 1 point per record for:
 - No Award
 - Unacceptable
- **5.7.3 Survey Factor Score:** The Survey Factor Score is calculated by first identifying all Surveys dated within the last three (3) years. Each Survey is assigned the appropriate value listed above and age-weighted. Those age-weighted scores are summed and normalized by the Scaling Factor.

Example: Scaling Factor is 10 for the example below

Days Since Report	Age-Weighted Multiplier (AWM)	Point Change	Age-Weighted Points
850	0.224	+ 1 pt.	+ 0.224
500	0.544	+ 1 pt.	+ 0.543
360	0.672	+ 1 pt.	+ 0.671
200	0.818	- 1 pt.	- 0.817
		Point Total =	+ 0.62

Table 15: Survey Factor Score Example

Apply Scaling Factor =
$$\frac{0.62}{10}$$

5.8 PROGRAM ASSESSMENT REPORT (PAR) FACTOR

5.8.1 Program Assessment Report (PAR) Factor: The PAR is an independent DCMA assessment of contractor performance to include predictive analysis. The PAR consists of multiple categories including, Cost, Schedule, and Performance. The PAR is a Positive/Negative factor. PARs are reported in DCMA's SRS in PDREP.

5.8.2 PAR Values:

- a. Green (+ 1 point)
- b. Yellow (0 points)
- c. Red (- 1 point)
- **5.8.3 PAR Factor Score:** The PAR Factor Score is calculated by first identifying all PARs dated within the last three (3) years. Each PAR Record is defined by a Green, Yellow, or Red color score and assigned the appropriate value listed above. Each PAR score is age-weighted, summed, and normalized by the Scaling Factor.

Example: Scaling Factor is 10 for the example below

Days Since Report	Age-Weighted Multiplier (AWM)	PAR Report Score	Age-Weighted Points
850	0.224	Green (+ 1)	+ 0.224
500	0.544	Yellow (0)	0
360	0.672	Red (- 1)	- 0.672
200	0.818	Green (+ 1)	+ 0.818
50	0.954	Green (+ 1)	+ 0.954
10	0.991	Green (+ 1)	+ 0.991
		Point Total =	+ 2.315

Table 16: PAR Factor Score Example

Apply Scaling Factor =
$$\frac{2.315}{10}$$

5.9 GOVERNMENT-INDUSTRY DATA EXCHANGE PROGRAM (GIDEP) (NON-COUNTERFEIT) FACTOR

5.9.1 Government-Industry Data Exchange Program (GIDEP) Factor: GIDEP is a cooperative data exchange between government and industry participants for sharing and use of existing engineering and failure data. This is an Always Negative factor.

5.9.2 GIDEP Values:

- a. Starting Score is always 10 points
- b. Each Record (- 1 point)
- 5.9.3 GIDEP Factor Score: The GIDEP Factor Score is calculated by first identifying all GIDEP records dated within the last three (3) years. Each report receives a value of 1 and is age-weighted, summed, and normalized by the Scaling Factor. That score is then deducted from the base score. If the calculation yields a negative number, then 0 is assigned as the score.

Example: Scaling Factor is 10 for the example below

Days Since Report	Age-Weighted Multiplier (AWM)	Point Reduction	Age-Weighted Points
850	0.224	- 1 pt.	- 0.22
500	0.544	- 1 pt.	- 0.54
360	0.672	- 1 pt.	- 0.67
200	0.818	- 1 pt.	- 0.82
		Point Total =	- 2.26

Table 17: GIDEP Factor Score Example

Apply Scaling Factor =
$$\frac{(-2.26)}{10}$$
 = -0.226

Subtract from Starting Score = 10 + (-0.226)

5.10 INTEGRITY RECORDS (FORMERLY FAPIIS)

5.10.1 Integrity Records Factor: Integrity Records are maintained by the System for Award Management (SAM). This database contains information to support award decisions as required by the Federal Acquisition Regulation (FAR). This is an Always Negative factor.

5.10.2 Integrity Records Values:

- a. Starting Score is always 50
- b. 10 points per record for:
 - DoD Determination of Contractor Fault (F)
 - Defective Pricing (P)
- c. 25 points for:
 - Termination for Cause (C)
 - Termination for Default (D)
- **5.10.3 Integrity Records Factor Score:** The Integrity Records Factor Score is calculated by first identifying all Integrity Records reports dated within the last three (3) years. Each report receives a value as defined above and is age-weighted, summed, and scaled based on total number of contracts by that supplier. That score is then deducted from the base score of 50. If the calculation yields a negative number, then 0 is assigned as the score.

Example: Scaling Factor is 10 for the example below

Days Since Report	Age-Weighted Multiplier (AWM)	Point Deduction	Age-Weighted Points
1,000	0.088	- 10 points	- 0.88
720	0.343	- 10 points	- 3.43
300	0.726	- 25 points	- 18.16
200	0.817	- 25 points	- 20.44
5	0.995	- 10 points	- 9.95
		Point Total =	- 52.86

Table 18: Integrity Records Factor Score Example

Apply Scaling Factor =
$$\frac{(-52.86)}{10}$$
 = -5.286

Subtract from Starting Score = 50 + (- 5.286)

6. PRICE RISK AND CONFIDENCE SCORING

6.1 PRICE RISK

6.1.1 Price Risk: Price Risk determines whether a proposed price is consistent with unique historical prices paid for that item and is depicted by high, low or within range, when compared to the Expected Range. Three data repositories, tables, are required to calculate the Average Price and Expected Range for an item:

History Table: A data table built from contract award and delivery data in PDREP. This table holds contract information and unit prices for items with a unique material identification (ID) (e.g., National Stock Number (NSN), Manufacturer CAGE & Part Number, etc.) such that:

- The contract award date is 01 January 2010 or later,
 And
- The combination of the 13-digit contract number, material ID and unit price is unique (counted once in the Average Price calculation).

Price Table: This table retains the Average Price, the upper and lower control limits of the Expected Range and the Average Price Confidence score for each item found in the History Table.

Escalation Tables: A set of escalation tables contains the calculated monthly escalation (inflation) factors for each Supply Code in the Price Table.

6.1.2 Price Engine: The SPRS Price Engine populates the Price Table using the following method:

Purchases: For a particular item, the Price Engine starts by determining how many times the item has been purchased (i.e., how many transaction records exist in the History Table for the material ID).

N = # of times the item is purchased

If any of the items prices are stored in fractions of cents, the Price Engine retains the greatest number of significant digits found in any transaction. Price data will be displayed to this number of digits, indicating to the user that fractions of cents have been used in past purchases of the item.

Escalation Factor: Each month, the Price Engine uses every item's Supply Code to select the appropriate data set from the U.S. Bureau of Labor Statistics (BLS). The Escalation Table is populated using the Producer Price Indexes (PPI) values for the current month (the month in which the risk is calculated) and base month (the month of the contract award). The quotient of these two values is used to find the escalation factor, Esc_{PPI}:

$$Esc_{PPI} = \frac{PPI \text{ value for current month}}{PPI \text{ value for base month}}$$

Equation 7: Escalation Factor

Adjusted Price: Also called the "Escalated Price" is the price paid is multiplied by the escalation factor to calculate the adjusted or escalated price:

$$P = Price \times Esc_{PPI}$$

Equation 8: Adjusted Price

Outliers: The Price Engine employs a two-pass procedure to remove outliers from the population, which could skew the Average Price calculation. The process begins by assessing:

- If N ≤ 2, the Price Engine includes all adjusted prices regardless of magnitude
- If N > 2, the Price Engine employs the tiered, two-pass procedure to remove outliers from the population

Pass 1: This pass is performed using all adjusted prices (of N).

a. Determine the median (M_1) of the population of adjusted prices.

<u>NOTE</u>: when the population is sorted in order of magnitude, the median is the middle value (if N is odd) or the average of the two middle values (if N is even).

- b. Exclude all prices which are greater than four times the median $(4M_1)$.
- c. n = the number of remaining prices.

Determination of Pass 2: To determine if Pass 2 is required, calculate the mean (μ) , standard deviation (σ) and coefficient of variation (CV) for the population of remaining prices:

$$\mu = \frac{1}{n} \sum_{i=1}^{n} P_i$$

Equation 9: Population Mean (μ)

$$\sigma = \sqrt{\frac{\sum (P - \mu)^2}{n}}$$

Equation 10: Population Standard Deviation (σ)

$$CV = \frac{\sigma}{u}$$

Equation 11: Coefficient of Variation (CV)

Pass 2: This pass is performed on the remaining prices only if CV > 0.2

- a. Find the median (M_2) of the remaining prices.
- b. Given the values of M_2 and CV determine how many remaining prices lie outside the exclusions limits from the median, shown in the table below.

Pass 2 Exclusion Limits			
If the Median is:	And the Coefficient of Variation is:	The exclusion limits are:	
M < \$2.00	CV > 0.4	$M_2 \pm 0.8 M_2$	
$M_2 \le 2.00	$0.2 < CV \le 0.4$	$M_2 \pm 0.6 M_2$	
ФО ОО 1 M 1 Ф 7 ОО	CV > 0.4	$M_2 \pm 0.7 M_2$	
$$2.00 < M_2 \le 7.00	$0.2 < CV \le 0.4$	$M_2 \pm 0.5 M_2$	
$$7.00 < M_2 \le 100.00	CV > 0.4	$M_2 \pm 0.6 M_2$	
$57.00 < 102 \le 5100.00$	$0.2 < CV \le 0.4$	$M_2 \pm 0.4 M_2$	
$$100.00 < M_2 \le $1,000.00$	CV > 0.4	$M_2 \pm 0.5 M_2$	
$5100.00 < M_2 \le 51,000.00$	0.2 < CV ≤ 0.4	$M_2 \pm 0.3 M_2$	
<i>M</i> ₂ > \$1,000.00	CV > 0.2	$M_2 \pm 0.4 M_2$	

Table 19: Price Risk Pass 2 Exclusion Limits

c. If the number of remaining prices outside the exclusion limits is less than 0.32*n*, exclude those prices. Otherwise, the prices are included.

Examples:

- Example 1: For a given population of 24 prices, n = 24, M₂ = \$1.39 and CV = 0.592. The exclusion limits would be \$1.39 ± (0.8×\$1.39). Therefore, prices greater than \$2.50 and less than \$0.28 are outside the exclusion limits. If 7 prices are outside the exclusion limits, these prices will be excluded (since 7 < .32 × 24).
- Example 2: For a given population of 79 prices, n = 11, M₂ = \$6.42 and CV = 0.312. The exclusion limits would be \$6.42 ± (0.5×\$6.42). Therefore, prices greater than \$9.63 and less than \$3.21 are outside the exclusion limits. If 28 prices are outside the exclusion limits, these prices would not be excluded in Pass 2 (since 28 > .32 × 11).
- Example 3: For a given population of 14 prices, n = 14, $M_2 = \$859.81$ and CV = 0.193. Since $CV \le 0.2$, Pass 2 is not performed.

Expected Range: After all exclusions are performed, the Price Engine calculates μ , σ and CV for the remaining prices and Expected Range, Upper Control Limit (UCL), and Lower Control Limit (LCL):

- a. Expected Range: The expected range for the item is $\mu \pm 2\sigma$. Bids within plus or minus two standard deviations are rated WITHIN RANGE.
- b. Upper Control Limit: UCL = μ + 2 σ . Bids higher than this value are rated HIGH.
- c. Lower Control Limit: LCL = μ 2σ . Bids lower than these values are rated LOW.



Figure 4: Price Risk Graph

6.2 PRICE CONFIDENCE SCORE

6.2.1 Average Price Confidence Score: The Average Price Confidence Score is based on the count and statistical distribution of final remaining prices. The Confidence Score is rated High, Medium, and Low with corresponding colors of Red, Yellow, and Green. If there are:

Total Remaining Prices (TRP)	Confidence Score	Highlight Color
> 72	High	Green
< 3	Low	Red
3 ≤ TRP ≤ 72 and <i>CV</i> < 0.15	High	Green
3 ≤ TRP ≤ 72 and <i>CV</i> ≥ 0.15	Medium	Yellow

Table 20: Average Price Confidence

- *CV* < 0.15 (prices are closer to the Average Price)
- $CV \ge 0.15$ (prices are farther from the Average Price)

7. ITEM RISK

7.1 ITEM/PRICE RISK REPORT

The purpose of the Item/Price Risk Report is to identify if an item is High Risk. In addition to a designation of High Risk or Not High Risk, this report includes past purchase history, price escalation calculations, and includes a graph that displays historical prices depicting the upper and lower bounds (control limits) of the expected range. Item Risk information might be used by the acquisition community to determine if mitigation strategies are required based on agency policies. Item Risk is determined based on information gathered from multiple sources to include but not limited to:

- 7.1.1 Federal Logistics Information System (FLIS): FLIS provides unrestricted information for each NSN in the Federal Catalog System (FCS). FLIS provides information on part Characteristics, National Motor Freight Classification (NMFC), Precious Metals Indicator Code (PMIC), Demilitarization Code, and Criticality Code.
- 7.1.2 Diminishing Manufacturing Sources and Material Shortages (DMSMS): DMSMS is the loss, or impending loss, of manufacturers or suppliers of items, raw materials, or software and/or obsolescence. The DoD loses a manufacturer or supplier when that manufacturer or supplier discontinues production and/or support of needed items, raw materials, or software or when the supply of raw material is no longer available.
- 7.1.3 Electrical and Electronic Equipment Components (Federal Supply Group 59):
 DLA has declared items in this category to be High Risk due to increased risk of counterfeiting.
- **7.1.4 Dynamic Item Risk**: SPRS implements predictive analytics to help identify items with a higher chance to be suspected counterfeit.

APPENDIX A - GLOSSARY OF TERMS

This section provides definitions for acronyms, abbreviations and terms used in the SPRS Evaluation Criteria Manual.

ACRONYM/ ABBREVIATION	DEFINITION
AWM	Age-Weight Multiplier
BLS	Bureau of Labor Statistics
CAGE	Commercial and Government Entity
CAP	Corrective Action Plan
CAR	Corrective Action Request
CLIN	Contract Line Item Number
CPARS	Contractor Performance Assessment Reporting System
DCMA	Defense Contract Management Agency
DFARS	Defense Federal Acquisition Regulation Supplement
DLA	Defense Logistics Agency
DMSMS	Diminishing Manufacturing Sources and Material Shortages
DoD	Department of Defense
EDA	Electronic Data Access
FAPIIS	Federal Awardee Performance and Integrity Information System
FAR	Federal Acquisition Regulation
FCS	Federal Catalog System
FLIS	Federal Logistics Information System
FPDS	Federal Procurement Data System
FSC	Federal Supply Classification
GIDEP	Government-Industry Data Exchange Program
GS1	Global Standards 1
IBSN	Internet Blog Serial Number
LCL	Lower Control Limit
MIR	Material Inspection Records
MOCAS	Mechanization of Contract Administration Services
NAICS	North American Classification System
NMFC	National Motor Freight Classification
NSN	National Stock Numbers
PAR	Program Assessment Report
PDREP	Product Data Reporting and Evaluation Program
PIID	Contract Procurement Instrument Identifier
PMIC	Precious Metals Indicator Code

ACRONYM/ ABBREVIATION	DEFINITION
PPI	Producer Price Index
PPIRS-RC	Past Performance Information Retrieval System - Report Cards
PQDR	Product Quality Deficiency Report
PSC	Product Service Code
SAM	System for Award Management
SDR	Supply Discrepancy Report
SLIN	Subcontract Line Item Number
SPRS	Supplier Performance Risk System
SRS	Supplier Risk System
TRP	Total Remaining Prices
UCL	Upper Control Limit
UPC	Universal Product Code
WAWF	Wide Area Workflow

APPENDIX B - GLOSSARY OF SYMBOLS

This section provides definitions for symbols & mathematical operators used in the SPRS Evaluation Criteria Manual.

SYMBOL	DEFINITION
#	Number Sign, Pound Sign, Hashtag: Indicates number
Σ	Summation: The addition of a sequence of any kind of numbers.
μ	Greek letter (pronounced mu): Arithmetic Mean: Sum of all of the numbers divided by the number of numbers.
σ	Greek letter (Sigma): Standard Deviation: A measure of the amount of variation or dispersion of a set of values.
CV	Coefficient of Variation: the ratio of the standard deviation to the mean. The higher the coefficient of variation, the greater the level of dispersion around the mean.
$\sqrt{}$	Square Root: The square root of a number is the factor that we can multiply by itself to get that number.
±	Plus-Minus Sign: 1. Indicates a choice of exactly two possible values, one of which is obtained through addition and the other through subtraction 2. Indicates the confidence interval or uncertainty bounding a range of possible errors in a measurement.
≤	Less Than or Equal to
2	Greater Than or Equal to
<	Less Than
>	Greater Than

This page intentionally left blank.